

Supplementary Table 2. Clinicopathologic predictors of survival in patients with stage III EC.

Variable	Disease-free survival						Overall survival					
	Univariate analysis			Multivariate analysis			Univariate analysis			Multivariate analysis		
	HR	95% CI	P	HR	95% CI	P	HR	95% CI	P	HR	95% CI	p
FIGO stage (IIIA vs IIIC)	0.85	0.65-1.11	0.36				0.78	0.59-1.03	0.20			
FIGO stage (IIIB vs IIIC)	0.62	0.19-1.94					1.10	0.45-2.70				
Age (<=60x vs >61)	0.66	0.52-0.85	0.001	0.63	0.50-0.80	<.0001	0.54	0.42-0.70	<.0001	0.58	0.44-0.76	<.0001
Type of surgery (LT vs LS)	0.93	0.62-1.41	0.74				0.95	0.60-1.52	0.83			
Grade (1 vs 3)	0.63	0.46-0.86	<.0001	0.73	0.53-1.02	0.022	0.62	0.43-0.89	0.002	0.76	0.52-1.12	0.046
Grade (2 vs 3)	0.63	0.50-0.80		0.72	0.57-0.92		0.65	0.49-0.85		0.70	0.52-0.93	
LVSI (Negative vs Positive)	0.72	0.54-0.96	0.024	1.00	0.74-1.36	0.986	0.61	0.43-0.87	0.01	0.86	0.59-1.24	0.415
Peritoneal cytology (Negative vs Positive)	0.92	0.66-1.29	0.64				0.78	0.54-1.14	0.202			
MMI (<50% vs >50%)	0.49	0.34-0.69	<.0001	0.63	0.47-0.86	0.003	0.53	0.38-0.75	<.0001	0.64	0.44-0.93	0.019
Cervical involvement (No vs Yes)	0.68	0.54-0.84	<.0001	0.67	0.53-0.84	<.0001	0.59	0.46-0.76	<.0001	0.64	0.49-0.83	0.001
Lymphadenectomy (No vs Yes)	1.38	1.06-1.81	0.01	1.85	1.41-2.42	<.0001	1.73	1.33-2.25	<.0001	1.82	1.36-2.42	<.0001
Adjuvant therapy			0.03			0.102			0.33			
RT vs CRT	0.85	0.62-1.17		0.89	0.64-1.23		0.84	0.60-1.18				
CT vs CRT	1.31	1.02-1.68		1.32	0.99-1.73		1.13	0.84-1.53				

CRT: Chemoradiation. CT: Chemotherapy. LVSI: Lymphovascular space invasion. MMI: Myometrial invasion. RT: Radiotherapy.