

Patient	Age*	Myometrial invasion	LVSI	Grade	Surgeon	Adjuvant RT	Site of recurrence	Alive	†Time to recur (year)
1	56	Superficial	No	2	A	VBT	Distant (lung, liver, pelvis)	No	2.1
2	58	Superficial	Yes	2	B	VBT	Regional (external iliac LN)	No	0.7
3	78	Deep	No	1	B	VBT	Distant (lung)	Yes	5.2
4	63	Deep	Yes	2	A	EBRT	Distant (lung)	Yes	5.4
5	61	Superficial	No	2	A	EBRT	Local (vaginal vault)	Yes	2.0
6	62	Superficial	Yes	3	C	EBRT	Regional (perirectal LN)	Yes	0.6
7	70	Superficial	Yes	2	C	VBT	Distant (lung)	Yes	2.7
8	59	Deep	No	1	D	VBT	Distant (PA LN, pelvis)	Yes	2.1

Supplementary table 1. Demographics, tumour characteristics, treatment, pattern of recurrence and survival outcomes for the 8 patients with recurrence. *Age at diagnosis. †Time interval between diagnosis and date of recurrence. LVSI: lymphovascular space invasion. RT: radiotherapy. VBT: vaginal brachytherapy. EBRT: external-beam radiotherapy. LN: lymph node. PA: para-aortic.